



*Fig. 1*



*Fig. 2a*



*Fig. 2b*

09843701.012202

2022101012202





Fig. 4




Fig. 5

09843701.042202

60  
↓





Fig. 6

OS Role	Operating System, Agent
APP Role	WebServer, ApplnServer
Content Role	HTML, JSP, GIF, JPEG


*Fig. 7*



*Fig. 8*

09843701.01200

09843701.042202



75

Fig. 9A

09043704.012202




Fig. 9B

85

09643704 043202

**LOUDCLOUD™** Read/Write on 2000.000000 | [Sign out](#)

**Manage Bundles** [Home > Select a Customer > Manage Bundles > Bundle Information](#)

**Bundle Information for**

Choose the "Bundle Name" carefully. Naming conventions are not being enforced at this time.

Name:

Type:

Platform:

This Description:

Fig. 9C



00043704.012202





Fig. 9D



Read/Write on 3000.000000 | [Sign out](#)

[Manage Bundles](#)

[Home](#) > [Select a Customer](#) > [Manage Bundles](#) > [View Bundle Oracle 8.1.6 Client w/o tnsauto, w/ JDBC](#)

View Bundles

View bundle: *Oracle 8.1.6 Client w/o tnsauto, w/ JDBC v1*

Bundle ID:

Bundle Details

Name = Oracle 8.1.6 Client w/o tnsauto, w/ JDBC  
Version = 1  
Created By =  
Account =  
Platform = SunOS 5./  
Type = SERVICE  
Description = Oracle 8.1.6 Client w/o tnsauto, w/ JDBC oracle8i-8.1  
(Package) oraccount-1. sparc64.rpm v1 (Package) orajdbc-12  
v1 (Package) orajra-1. sparc64.rpm v1 (Package) oraenv-1.1  
(Package)  
Status = ACTIVE

Bundles and Packages:

- [oracle8i-8.1](#) [sparc64.rpm v1 \(Package\)](#)
- [oraccount-1](#) [sparc64.rpm v1 \(Package\)](#)
- [orajdbc-12](#) [sparc64.rpm v1 \(Package\)](#)
- [orajra-1.1](#) [sparc64.rpm v1 \(Package\)](#)
- [ora](#) [sparc64.rpm v2 \(Package\)](#)

Back

Create New Version

Edit

Edit Name/Description

Fig. 9E

2022101014202

LOUDCLOUD™ Read/Write on root:000000 | Sign out

**Manage Bundles** wooooooh - loudcloud.com

[Home](#) > [Select a Customer](#) > [Manage Bundles](#) > [Bundle Information](#)

---

**Bundle Information for Customer A**

**Name:** Oracle 8.1.6 Client w/o tnsauto, w/ JDBC

**New Version Number:** 2

**Type:** Application

**Platform:** SunOS 5.7

**Previous Description:** Oracle 8.1.6 Client w/o tnsauto, w/ JDBC oracle8i-8.1.6-LC-0.sparc64.rpm v1 (Package)  
oraccount-1.0-LC-0.sparc64.rpm v1 (Package) orajdbc-12\_01-LC-0.sparc64.rpm v1 (Package)  
orajre-1.1.7-LC-0.sparc64.rpm v1 (Package) oraenw-1.0-LC-0.sparc64.rpm v1 (Package)

**This Description:** Oracle 8.1.6 Client w/o tnsauto, w/ JDBC

oracle8i-8.1.6-LC-0.sparc64.rpm v1 (Package)  
oraccount-1.0-LC-0.sparc64.rpm v1 (Package)  
orajdbc-12\_01-LC-0.sparc64.rpm v1 (Package)  
orajre-1.1.7-LC-0.sparc64.rpm v1 (Package)  
oraenw-1.0-LC-0.sparc64.rpm v1 (Package)

To contact us, email: [how@loudcloud.com](#)

Fig. 9F

202270-7024850




Fig. 96

09643704.010002





Fig. 9H

09843701.042002



Read/Write on 2006.03.000000 | [Sign out](#)

**Manage Bundles** [voo000dh - loudcloud.com](#)

[Home](#) > [Select a Customer](#) > [Manage Bundles](#) > [Bundle Information](#)

Manage Bundles

Bundle Information for

Name: oracle client 8.1.6 w/out tnsauto w/jdbc

New Version Number: 1

Type: Application

Platform: SunOS 5.7

Previous Description: oracle 8.1.6 bundle + rpm to creat so tnsnames.ora etc are set up correctly.

This Description: oracle 8.1.6 bundle + rpm to create so tnsnames.ora etc are set up correctly.

Commit

Cancel

To contact us, e-mail:  
[voc@loudcloud.com](mailto:boc@loudcloud.com)

Fig. 9I

00043701.012202




Fig. 9J

20221010 10:42:56




Fig. 9K



09643701.043302




Fig. 10A

09043704.042202




Fig. 10B

09843701.012202

LOUDCLOUD™

Read/Write on 2000.000000 | [Sign out](#)

[Manage Roles](#) [v000000 - loudcloud.com](#)

[Home > Manage Roles](#) [Role Type - service > Roles List](#)

**Manage Roles**

Narrow OS Platform to:

**List of Available Application Roles for Customer - A**

[Beta]	Production v1
[Beta] Migration-	01 - Staging v1
Apache 1.3.12 + Weblogic 5.1SP5 Connector Prod v1	
Apache 1.3.12 + Weblogic 5.1SP5 Connector Staging v1	
Apache 1.3.12 + WebLogics 5.1SP4 Connector v1	
Apache 1.3.12 + WebLogics 5.1SP4 Connector v2	
Apache1.3.12WL5.1sp4 v1	
Apache1.3.12WL5.1sp4 v2	
ATG5.0 OracleClient 8.1.6 v1	
ATG5.0 sp1 Oracle 8.1.6 v1	

|

To contact us, email:  
[booc@loudcloud.com](mailto:booc@loudcloud.com)

Fig. 10C

09843704.042202

**LOUDCLOUD™** Read/Write on spool.0x0000v | [Sign out](#)

**Manage Roles** [Home > Manage Roles](#) [Role Type - service > Roles List > Role Information](#) [loudcloud.com](#)

**Manage Roles**

**Role Information form**

Choose the "Role Name" carefully. Naming conventions are not being enforced at this time.

**Name:**

**Platform:**

**Service:**  **124**

**Description:**

Fig. 10D

09843701.012202




Fig. 10E

09843704.042202




Fig. 10F

09043701-042202




Fig. 106

The screenshot shows the LoudCloud 'Manage Roles' interface. At the top, there's a navigation bar with links like 'Home', 'Manage Roles', 'Role Type - service', 'Roles List', and 'Set Role Status'. Below this, the 'Set Role Status' section is active. It shows a 'Narrow OS Platform to:' dropdown set to 'All'. The main content area is divided into two sections: 'Active Roles' and 'Deprecated Roles'. The 'Active Roles' section contains a list of roles, including '[Beta] Migrati...', '[Beta] Migr...', 'Apache 1.3.12 + Weblogic 5.1SP5 Connector Prod v1', 'Apache 1.3.12 + Weblogic 5.1SP5 Connector Staging v1', 'Apache 1.3.12 + WebLogics 5.1SP4 Connector v1', 'Apache 1.3.12 + WebLogics 5.1SP4 Connector v2', 'Apache1.3.12WL5.1sp4 v1', 'Apache1.3.12WL5.1sp4 v2', 'ATG5.0 OracleClient 8.1.6 v1', 'ATG5.0 sp1 Oracle 8.1.6 v1', 'ATG\_DCS\_5.0\_SP1\_OracleClient\_8.1.6 v1', 'ATG\_DCS\_5.0\_SP1\_OracleClient\_8.1.6 v2', 'Backup Master Server v1', and 'Backup Media Server v1'. The 'Deprecated Roles' section is currently empty. The interface also includes a search bar at the top and a 'Deprecate/Activate' button for each role.

Fig. 10H



09043704.010202




Fig. 10I

09643701-01200

**LOUDCLOUD™** Read/Write on 1000.030000V | [Sign out](#)

**Manage Roles**  
[Home](#) > [Manage Rol.](#) > [Role Type - service](#) > [Roles List](#) > [Role Information](#)

**Manage Roles**

**Role Information for**

Name:

New Version Number:

Type:

Platform:

Service:

Customer:

Previous Description:

Description:

Fig. 10 J

09843704.042202




Fig. 10K

20221010 10:24:50




Fig. 10 L

00043704.012202




Fig. 11A

09843701.012202





Fig. 11B

09043704.012202

 **LOUDCLOUD™**

Read/Write on pool.000000 | [Sign out](#)

[Other Dependencies](#)  
[Home > Dependencies](#)

[10000000 - loudcloud.com](#)

**Type:** **Element:**

**Application Roles** ☒ **Apache1.3.12WL5.1sp4 v.2 (ACTIVE)**

**Application Role ID: 1750000**

**Actions:**

**Role Details**

**Name =** Apache1.3.12WL5.1sp4

**Version =** 2

**Customer Name =**

**Type =** Application

**Platform =** Linux 6.1

**Service =** WEB

**Description =** Added customer log rotation

**Status =** ACTIVE

**Apache1.3.12 (Bundle)**

**customer log rotation (Linux 6.1) (Bundle)**

Hostname	IP Address	Customer	DataCenter	EffBegDt
loudcloud.com				10/07/2000
oudcloud.com				11/07/2000
udcloud.com				10/07/2000

1 to 3 of 3

Fig. 11C